


# I-247 / I-347 PARTS LIST

# HYBRID G700



Part #	Description	Cost	Qty	Total
310	Female Axle 35mm			
331	Female Axle 39mm (Brake)			
312	Male Axle Screw 9mm			
904	Bearing Alignment Insert			
909	Bearing Spacer			
608B7	Bearing - ABEC 7			
BF7624CB	Wheel - 76mm Clear/Black			

Part #	Description	Cost	Qty	Total
332	Heel Stop Bracket			
839B	Heel Stop - Black			
627	Heel Stop Screw 32mm			
628	Heel Stop Locknut			
3347	Strap/Lever - Red			
3246	Clip - Black			

All orders must be paid by check, Visa, or Mastercard prior to shipment  
 All orders are required to be faxed or mailed with signature

CA residents add 8.25% tax  
 IL residents add 6.75% tax  
 PA residents add 6% tax

Subtotal	
Tax	
Shipping and Handling	
<b>TOTAL</b>	

Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Phone: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

MC or Visa #: \_\_\_\_\_ Exp Date: \_\_\_\_\_

1. Check the axle screws on each wheel. The male and female should be tightened firmly prior to each use.
2. Check heel stop screw before skating. The male and female should be tightened firmly. If heel stop shows substantial wear, it should be replaced.

1. Prüfen sie die schrauben aller rollen, schraube und mutter vor gebrauch gut festdrehen.
2. Prüfen sie die schraube beim stopper bevor sie fahren. Schraube und mutter gut befestigen. Ersetzen sie den stopper, wenn er abgenutzt ist.

1. Sur chaque roue, vérifiez les vis de l'essieu. Les vis males et femelles doivent être serrées fermement avant l'utilisation des patins.
2. Vérifiez les vis du frein avant l'utilisation des patins. Les vis males et femelles doivent être serrées fermement. Si le frein arrière montre des signes apparents d'usure. Veuillez le remplacer.

1. Cheque los tornillos de cada rueda, macho y hembra de los tornillos deberan apretarse antes de cada uso.
2. Cheque todos los tornillos del freno para asegurarse que esten bien apretados. Si nota que la goma del freno esta gastada, esta debera ser reemplazada por una nueva